



सत्यमेव जयते

GOVERNMENT OF WEST BENGAL
OFFICE OF THE PRINCIPAL
JNAN CHANDRA GHOSH POLYTECHNIC

7, Mayurbhanj Road, Kolkata - 700023
email: jcgpoly@yahoo.co.in @ web: www.jcgpolytechnic.in



Ref. No. JCG/553/2023-24

Date: 09-02-2024

NOTICE INVITING QUOTATION

Separate Quotations are invited by the Principal-in-Charge of the Institute on behalf of the CE Department for the works mentioned in the list given below from eligible and resourceful contractors having sufficient credential and financial capability for execution of works of similar nature.

| Sl. No | Description of the items/works | Quantity |
|--------|---|-----------|
| 1 | Calibration of CBR Testing Apparatus. | 1 |
| 2 | Calibration of Compressive Testing Machine (Concrete). | 1 |
| 3 | Repairing and maintenance of Permeability Testing Apparatus. | 1 |
| 4 | Repairing and maintenance of Turbidity meter and P _H meter. | 1 |
| 5 | Repairing and maintenance of Digital theodolite / Auto level / Dumpy level. | 2 of each |
| 6 | Repairing and maintenance of Prismatic Compass. | 4 |

Last date & time of submission of bids offline is 23.02.2024, up to 16.30 Hrs.

Please note that Institute Authority reserves the right to accept or reject the Bid process at any stage without assigning any reason whatsoever.


(Principal in Charge)

Principal-in-Charge
JNAN CHANDRA GHOSH POLYTECHNIC
(Govt. of W. B.)

7, Mayurbhanj Road, Kol-23

Copy forwarded for necessary information to:

1. Secretary, Academic Council
2. All HODs
3. Notice Board of _____
4. Guard File